

**IN THE CLAIMS**

A list of the pending claims is presented below.

1. (Previously Presented) A packet buffering system for predictively processing data packets in a data packet network, the data packets associated with a plurality of data flows, the data flows from of a plurality of protocols, the system comprising:

- at least one input port for receiving data packets from a plurality of sources,  
wherein the received data packets arrive from the plurality of data flows,  
interspersed;
- at least one output port for sending out data packets to a plurality of destinations;
- a packet predictor, coupled to said at least one input port, for predicting  
information about a future packet in any one of the plurality of data flows  
based on history of previously received packets from the plurality of data  
flows, said history stored in a memory coupled to said packet predictor;
- a plurality of queues for storing packets received from said plurality of sources,  
and for storing said predicted information about said future packet;
- direction logic, coupled to said packet predictor, for generating a Packet ID for  
said future packet, wherein said Packet ID is stored in one of said plurality  
of queues;
- buffer logic, coupled to said packet predictor, for accessing said memory and for  
validating said predicted information about said future packet based on  
said access to said memory; and
- a processing core, coupled to said plurality of queues, wherein if said buffer logic  
validates said predicted information, notification is made to said direction  
logic which passes said Packet ID for said future packet to said processing  
core to initiate speculative processing.

2. (Original) The system of claim 1 wherein the data packet network is the Internet network.

3. (Previously Presented) The system of claim 1 wherein the packet predictor utilizes a history record periodically updated by the system, to generate predicted data.
4. (Original) The system of claim 3 wherein the history record comprises characteristics of recently received data packets.
5. (Previously Presented) The system of claim 4 wherein the history record further comprises results of past predictions.
6. (Previously Presented) The system of claim 1 wherein said packet predictor predicts specific characteristics, comprising one or more of packet type, packet flow identification, sender information, destination information, and packet size for said future packet.
7. (Original) The system of claim 1 comprising a packet router.
8. (Original) The system of claim 1 comprising a data server.
9. (Previously Presented) A packet predictor system for predicting information about future packets to be received within a data packet processor, the future packets associated with a plurality of data flows, the data flows associated with a plurality of protocols, the predicted information being processed by a processing core prior to the future packets being received, the processing reducing latency in routing the future packets to their destinations, the system comprising:  
an input for receiving information about non-predicted packets received for processing;  
a packet predictor, coupled to said input, for predicting information about the future packets, based upon the information received about the non-predicted packets;

- a plurality of queues, coupled to said input and said packet predictor, for storing the predicted information; and
- a processing core, coupled to said plurality of queues, for processing the predicted information before the future packets are received by said input;
- wherein by processing the predicted information before the future packets are received, latency for delivering the future packets to an output is reduced.
10. (Previously Presented) The packet predictor system of claim 9 wherein the data packet processor comprises a data router operating on the Internet network.
  11. (Previously Presented) The packet predictor system of claim 9 comprising a history record consulted each time a prediction is made.
  12. (Previously Presented) The packet predictor system of claim 11 wherein the history record comprises history of real packets received and processed.
  13. (Previously Presented) The packet predictor system of claim 11 wherein the history record comprises history of prediction and results of the predictions.
  14. (Previously Presented) The packet predictor system of claim 9 wherein the history record is stored in a memory accessible to the system.
  15. (Previously Presented) The packet predictor system of claim 9 wherein said packet predictor predicts specific characteristics, comprising one or more of packet type, packet flow identification, sender information, destination information, and packet size.
  16. (Previously Presented) The packet predictor system of claim 9 wherein the data packet processor comprises a data server.

17. (Previously Presented) A method for reducing latency in packet processing within a packet processor, comprising the steps of:  
receiving packets associated with a plurality of data flows, the data flows from a plurality of protocols,  
developing and storing a history of packet information from the received packets;  
predicting future information about future packets from the stored history;  
validating the future information about the future packets responsive to the stored history, and if validated;  
processing the future information about the future packets before the future packets are received;  
wherein by processing the future information about the future packets before the future packets are received, latency in delivering the future packets to their destinations is reduce; and  
wherein the information comprises one or more of packet type, packet flow identification, source information, destination information, and packet size.
18. (Original) The method of claim 17 wherein the packet processor is coupled with a data packet network.
19. (Original) The method of claim 18 wherein the data packet network is the Internet network.
20. (Previously Presented) The method of claim 17 comprising the step for maintaining a history of either or both of packets actually received and results of prior predictions.
21. (Cancelled)
22. (Previously Presented) The method of claim 17 wherein said step of processing is abandoned if it is determined not to agree with the real data once it arrives.

23. (Cancelled)
24. (Previously Presented) The method of claim 17 wherein in, if some of the results from processing the predicted future information are wrong they are abandoned, and results which are corrected are retained, to reduce processing for an arriving packet based on the prediction.